

CONDUIT
pipe products, co.



A Member of The Phoenix Forge Group

Price Sheet

CPP-0726

Effective July 02, 2026

Supersedes Sheet 0126

List Prices to Authorized Distributors

Conduit Pipe Products Company

1501 West Main Street
West Jefferson, OH 43162

Phone: 614-879-9114

Toll Free: 800-848-6125

Fax: 614-879-5185

www.conduitpipe.com

Freight Allowance: Shipments F.O.B. Shipping Point. Full freight allowed on shipments of \$1,750.00 net or more of Conduit Pipe Product Company products within the USA

(Alaska and Hawaii excepted).

Minimum invoice \$100.00 net. Terms 2% 30 days, net 31 days.

Conduit Elbows

| Size | 90 Price Per C | 60°,45°,30°, 22- 1/2°,15°,11-1/4° Price Per C | Standard Carton | | Weight Per Ctn - 90° | Weight Per C-90° | Std. Rad. To C/L | Mfg. UPC# 782172 | |
|--------|-------------------|---|--------------------|-----|----------------------------|---------------------|---------------------|------------------|-------------|
| | | | 90° Qty 45° | | | | | UPC# 90° | UPC# 45° |
| 1/2" | 3976.40 | 4090.02 | 50 | 50 | 38# | 73# | 4" | 161 | 181 |
| 3/4" | 4154.13 | 4272.79 | 50 | 50 | 55# | 107# | 4 1/2" | 162 | 182 |
| 1" | 6490.95 | 6676.38 | 25 | 35 | 48# | 193# | 5 3/4" | 163 | 183 |
| 1 1/4" | 9072.78 | 9332.00 | 20 | 30 | 57# | 285# | 7 1/4" | 164 | 184 |
| 1 1/2" | 11041.26 | 11356.74 | 15 | 15 | 64# | 426# | 8 1/4" | 165 | 185 |
| 2" | 16847.86 | 16847.86 | 10 | 15 | 65# | 650# | 9 1/2" | 166 | 186 |
| 2 1/2" | 33405.84 | 33405.84 | 80* | B | 920# | 1150# | 10 1/2" | 167 | 187 |
| 3" | 45358.25 | 45358.25 | 50* | B | 900# | 1800# | 13" | 168 | 188 |
| 3 1/2" | 62346.75 | 62346.75 | 50* | B | 1313# | 2625# | 15" | 169 | 189 |
| 4" | 74705.46 | 74705.46 | 36* | B | 1152# | 3200# | 16" | 170 | 190 |
| 5" | 186583.15 | 191914.10 | --- | --- | --- | 7000# | 24" | 172 | 192 |
| 6" | 280750.34 | 288771.78 | --- | --- | --- | 10000# | 30" | 174 | 194 |

*NOTE-90° PRICING VARIES FROM 60°,45°,30°,22-1/2°,15°,11-1/4°

* Sizes 2 1/2 and larger shipped bulk, with thread protectors. For weights of 45° Elbows, use 70% of 90° weight.

Galvanized steel elbows are listed cUL_{US} and meet requirements of both CSA and UL

N.A.E.D. MFR. Code no. 2172

Conduit Couplings

| Size | Price Per C | Standard Carton | Master Carton Quantity | Weight Per Carton | Weight Per C | Mfg. UPC# 782172 |
|--------|----------------|--------------------|------------------------------|----------------------|-----------------|---------------------|
| | | | | | | UPC# |
| 1/2" | 1076.37 | 100 | 1600 | 13# | 13# | 131 |
| 3/4" | 1295.39 | 50 | 800 | 10# | 19# | 132 |
| 1" | 1865.01 | 30 | 480 | 10# | 33# | 133 |
| 1 1/4" | 2612.74 | 25 | 400 | 11# | 43# | 134 |
| 1 1/2" | 3398.48 | 25 | 250 | 14# | 56# | 135 |
| 2" | 4319.42 | 20 | 160 | 15# | 77# | 136 |
| 2 1/2" | 11617.06 | 25 | | 46# | 184# | 137 |
| 3" | 13984.55 | 20 | | 46# | 230# | 138 |
| 3 1/2" | 18831.72 | 18 | | 68# | 378# | 139 |
| 4" | 18733.67 | 12 | | 37# | 308# | 140 |
| 5" | 36498.65 | --- | | | 500# | 142 |
| 6" | 53092.98 | --- | | | 800# | 144 |

Galvanized steel conduit couplings meet requirements of both CSA and UL.

Special Large Radius Elbows 90° & 45°

Price Each

| Size | 12" Radius | 15" Radius | 18" Radius | 24" Radius | 30" Radius | 36" Radius | 42" Radius | 48" Radius | 60" Radius |
|--------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 1" | 215.82 | 271.65 | 274.39 | 363.62 | 358.14 | 405.85 | 478.80 | 533.72 | |
| 1 1/4" | 246.30 | 318.23 | 311.04 | 398.69 | 463.66 | 495.85 | 580.96 | 646.92 | |
| 1 1/2" | 295.09 | 327.74 | 363.28 | 428.74 | 540.15 | 622.67 | 691.36 | 770.75 | |
| 2" | 347.52 | 384.29 | 457.03 | 560.20 | 686.67 | 724.16 | 878.94 | 995.88 | |
| 2 1/2" | 441.95 | 557.64 | 631.46 | 763.31 | 889.66 | 1039.75 | 1154.41 | 1365.86 | |
| 3" | | 737.55 | 796.96 | 1003.64 | 1166.88 | 1306.35 | 1510.86 | 1716.85 | |
| 3 1/2" | | | 1126.62 | 1327.29 | 1526.18 | 1782.63 | 1987.62 | 2245.49 | |
| 4" | | | 1258.82 | 1419.06 | 1712.46 | 1851.39 | 2441.23 | 2754.52 | 3783.16 |
| 5" | | | | | 2200.20 | 3328.48 | 4142.53 | 4397.38 | 6198.36 |
| 6" | | | | | | 3656.75 | 4361.63 | 4504.20 | 6472.83 |

Weight/UPC Code Mfg. UPC# 782172

| Size | 12" Radius | 15" Radius | 18" Radius | 24" Radius | 30" Radius | 36" Radius | 42" Radius | 48" Radius | 60" Radius |
|--------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 1" | 5# 10201 | 6# 10221 | 7# 10241 | 8# 10261 | 10# 10281 | 11# 10301 | 13# 10321 | 14# 10341 | |
| 1 1/4" | 7# 10202 | 8# 10222 | 9# 10242 | 10# 10262 | 12# 10282 | 13# 10302 | 16# 10322 | 18# 10342 | |
| 1 1/2" | 8# 10203 | 8# 10223 | 10# 10243 | 13# 10263 | 15# 10283 | 17# 10303 | 20# 10323 | 22# 10343 | |
| 2" | 11# 10204 | 10# 10224 | 14# 10244 | 17# 10264 | 20# 10284 | 22# 10304 | 25# 10324 | 29# 10344 | |
| 2 1/2" | 17# 10205 | 20# 10225 | 22# 10245 | 26# 10265 | 30# 10285 | 34# 10305 | 39# 10325 | 45# 10345 | 57# 10357 |
| 3" | | 23# 10226 | 28# 10246 | 33# 10266 | 38# 10286 | 43# 10306 | 54# 10326 | 60# 10346 | 66# 10358 |
| 3 1/2" | | | 32# 10247 | 41# 10267 | 47# 10287 | 53# 10307 | 62# 10327 | 66# 10347 | 82# 10359 |
| 4" | | | 40# 10248 | 47# 10268 | 54# 10288 | 62# 10308 | 72# 10328 | 81# 10348 | 88# 10360 |
| 5" | | | | | 72# 10290 | 83# 10310 | 98# 10330 | 108# 10350 | 122# 10362 |
| 6" | | | | | | 120# 10312 | 135# 10332 | 145# 10352 | 165# 10364 |

Orders for Special Large and Extra Large Elbows are not subject to Cancellation.
 Extra Large radius Elbows – 60", 72", 84", etc., Prices on Application.
 Galvanized steel elbows are listed cUL_{US} and meet requirements of both CSA and UL.

Conduit Nipples

Price Per 100 in Carton Quantities / UPC Code Mfg. UPC# 782172

| Pipe Size | Close | | 1 1/2" | 2" | 2 1/2" | 3" | 3 1/2" | 4" | 5" | 6" | 8" | 10" | 12" |
|-----------|--------|----------|--------|---------|---------|---------|---------|----------|----------|----------|----------|----------|----------|
| | Length | List | | | | | | | | | | | |
| 1/2" | 1 1/8" | 651.68 | 777.57 | 883.70 | 954.22 | 1031.89 | 1130.50 | 1225.21 | 1370.72 | 1636.89 | 2848.77 | 3265.60 | 3764.00 |
| | | 401 | 402 | 403 | 404 | 405 | 406 | 407 | 408 | 409 | 410 | 411 | 412 |
| 3/4" | 1 3/8" | 841.21 | 968.62 | 993.76 | 1106.26 | 1205.54 | 1256.93 | 1428.01 | 1641.53 | 1913.74 | 3158.48 | 3792.50 | 4261.50 |
| | | 431 | 40687 | 432 | 433 | 434 | 435 | 436 | 437 | 438 | 439 | 440 | 441 |
| 1" | 1 1/2" | 1261.07 | | 1388.44 | 1508.83 | 1681.86 | 1907.70 | 2045.69 | 2319.26 | 2535.40 | 3998.01 | 5161.63 | 5860.72 |
| | | 461 | | 462 | 463 | 464 | 465 | 466 | 467 | 468 | 469 | 470 | 471 |
| 1 1/4" | 1 5/8" | 1641.14 | | 1765.17 | 1933.72 | 2084.11 | 2369.97 | 2508.70 | 2906.22 | 3270.25 | 5355.10 | 6737.63 | 7844.86 |
| | | 491 | | 492 | 493 | 494 | 495 | 496 | 497 | 498 | 499 | 500 | 501 |
| 1 1/2" | 1 3/4" | 1981.08 | | 2093.63 | 2360.77 | 2541.56 | 2920.48 | 3178.94 | 3566.31 | 4384.32 | 6706.26 | 8066.78 | 8751.34 |
| | | 521 | | 522 | 523 | 524 | 525 | 526 | 527 | 528 | 529 | 530 | 531 |
| 2" | 2" | 2429.55 | | | 2851.79 | 3299.25 | 3756.80 | 4147.13 | 4839.42 | 5532.83 | 7981.75 | 9559.09 | 10884.42 |
| | | 551 | | | 552 | 553 | 554 | 555 | 556 | 557 | 558 | 559 | 560 |
| 2 1/2" | 2 1/2" | 6738.44 | | | | 6810.97 | 8051.09 | 8431.98 | 9966.22 | 11310.88 | 14877.64 | 17274.03 | 20093.44 |
| | | 581 | | | | 582 | 583 | 584 | 585 | 586 | 587 | 588 | 589 |
| 3" | 2 5/8" | 7905.87 | | | | 8372.97 | 9447.27 | 10241.72 | 11905.43 | 13595.31 | 17691.26 | 20907.67 | 25386.12 |
| | | 611 | | | | | | 614 | 615 | 616 | 617 | 618 | 619 |
| 3 1/2" | 2 3/4" | 9739.97 | | | | | | 12465.69 | 14119.16 | 16136.78 | 20219.78 | 24458.52 | 28586.52 |
| | | 641 | | | | | | 642 | 643 | 644 | 645 | 646 | 647 |
| 4" | 2 7/8" | 11504.24 | | | | | | 13995.21 | 16410.02 | 18327.02 | 22839.01 | 28208.73 | 33582.90 |
| | | 671 | | | | | | 672 | 673 | 674 | 675 | 676 | 677 |
| 5" | 3" | 21886.17 | | | | | | | 31853.41 | 34660.12 | 41168.50 | 48265.56 | 58465.51 |
| | | 731 | | | | | | | 732 | 733 | 734 | 735 | 736 |
| 6" | 3 1/8" | 28778.57 | | | | | | | 39697.88 | 43806.67 | 51114.37 | 63882.10 | 70978.91 |
| | | 761 | | | | | | | 762 | 763 | 764 | 765 | 766 |

For List Prices on 4 1/2" - 5 1/2" - 7" - 9" - 11" Lengths use next Longer Length Listed.

Galvanized steel conduit nipples are listed cUL_{US} and meet requirements of both CSA and UL.

Carton Quantities / Weight Per 100 Pieces

| Pipe Size | Close | 1 1/2" | 2" | 2 1/2" | 3" | 3 1/2" | 4" | 5" | 6" | 8" | 10" | 12" |
|-----------|-------|--------|----|--------|----|--------|-----|-----|-----|-----|------|------|
| 1/2" | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 50 | 50 | 50 |
| | 5 | 8 | 11 | 14 | 18 | 21 | 24 | 31 | 37 | 50 | 63 | 76 |
| 3/4" | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| | 8 | 9 | 13 | 17 | 22 | 26 | 30 | 39 | 48 | 65 | 82 | 99 |
| 1" | 25 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| | 10 | | 16 | 22 | 29 | 35 | 41 | 54 | 67 | 92 | 117 | 142 |
| 1 1/4" | 25 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 10 |
| | 17 | | 23 | 31 | 40 | 48 | 56 | 73 | 89 | 122 | 155 | 188 |
| 1 1/2" | 25 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 |
| | 25 | | 30 | 40 | 50 | 61 | 71 | 91 | 112 | 152 | 193 | 234 |
| 2" | 25 | | | 25 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 |
| | 41 | | | 54 | 68 | 82 | 95 | 122 | 150 | 204 | 259 | 313 |
| 2 1/2" | 10 | | | | 10 | 10 | 10 | 10 | 10 | 10 | 5 | 5 |
| | 47 | | | | 69 | 91 | 112 | 155 | 198 | 283 | 369 | 455 |
| 3" | 10 | | | | 10 | 10 | 10 | 10 | 10 | 5 | 5 | 5 |
| | 77 | | | | 99 | 127 | 155 | 211 | 267 | 379 | 492 | 604 |
| 3 1/2" | 10 | | | | | | 6 | 6 | 5 | 3 | 3 | 3 |
| | 95 | | | | | | 178 | 245 | 313 | 447 | 581 | 715 |
| 4" | 10 | | | | | | 6 | 6 | 5 | 3 | 3 | 3 |
| | 107 | | | | | | 194 | 271 | 349 | 503 | 658 | 812 |
| 5" | B | | | | | | | B | B | B | B | B |
| | 153 | | | | | | | 368 | 476 | 691 | 906 | 1121 |
| 6" | B | | | | | | | B | B | B | B | B |
| | 243 | | | | | | | 509 | 651 | 934 | 1218 | 1501 |

Conduit Zinc Electroplated Nipples

Price Per 100 in Carton Quantities / UPC Code Mfg. UPC# 782172

| Pipe Size | Close | | 1 1/2" | 2" | 2 1/2" | 3" | 3 1/2" | 4" | 5" | 6" | 8" | 10" | 12" |
|-----------|--------|-----------------|----------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| | Length | List | | | | | | | | | | | |
| 1/2" | 1 1/8" | 740.82 | 883.91 | 1004.54 | 1084.73 | 1173.03 | 1285.13 | 1392.78 | 1558.17 | 1860.75 | 3238.37 | 3712.23 | 4278.77 |
| | | 551 | 568 | 575 | 582 | 599 | 605 | 612 | 636 | 650 | 698 | 735 | 773 |
| 3/4" | 1 3/8" | 956.25 | 1101.11 | 1129.66 | 1257.55 | 1370.44 | 1428.83 | 1623.33 | 1866.04 | 2175.49 | 3590.45 | 4311.17 | 4844.34 |
| | | 780 | 797 | 803 | 810 | 827 | 834 | 841 | 865 | 889 | 926 | 964 | 1008 |
| 1" | 1 1/2" | 1433.53 | | 1578.32 | 1715.21 | 1911.89 | 2168.61 | 2325.46 | 2636.44 | 2882.15 | 4544.81 | 5867.56 | 6662.28 |
| | | 1015 | | 1022 | 1039 | 1046 | 1053 | 1060 | 1084 | 1107 | 1145 | 1183 | 1220 |
| 1 1/4" | 1 5/8" | 1865.61 | | 2006.58 | 2198.21 | 2369.12 | 2694.12 | 2851.83 | 3303.71 | 3717.53 | 6087.50 | 7659.13 | 8917.78 |
| | | 1237 | | 1244 | 1251 | 1268 | 1275 | 1282 | 1305 | 1329 | 1367 | 1404 | 1442 |
| 1 1/2" | 1 3/4" | 2252.03 | | 2379.97 | 2683.64 | 2889.15 | 3319.89 | 3613.70 | 4054.08 | 4983.97 | 7623.46 | 9170.06 | 9948.26 |
| | | 1459 | | 1466 | 1473 | 1480 | 1497 | 1503 | 1527 | 1541 | 1589 | 1626 | 1664 |
| 2" | 2" | 2761.82 | | | 3241.84 | 3750.47 | 4270.61 | 4714.33 | 5501.30 | 6289.54 | 9073.42 | 10866.45 | 12373.05 |
| | | 1671 | | | 1688 | 1695 | 1701 | 1718 | 1732 | 1756 | 1794 | 1831 | 1879 |
| 2 1/2" | 1/2" | 7660.05 | | | | 7742.50 | 9152.22 | 9585.23 | 11329.29 | 12857.87 | 16912.43 | 19636.56 | 22841.57 |
| | | 1886 | | | | 1893 | 1909 | 1916 | 1930 | 1954 | 1992 | 2036 | 2074 |
| 3" | 2 5/8" | 8987.14 | | | | 9518.12 | 10739.38 | 11642.46 | 13533.71 | 15454.74 | 20110.86 | 23767.18 | 28858.14 |
| | | 2081 | | | | 2098 | 2104 | 2111 | 2135 | 2159 | 2173 | 2234 | 2272 |
| 3 1/2" | 2 3/4" | 11072.08 | | | | | | 14170.59 | 16050.20 | 18343.76 | 22985.21 | 27803.67 | 32496.27 |
| | | 2289 | | | | | | 2296 | 2319 | 2333 | 2371 | 2418 | 2456 |
| 4" | 2 7/8" | 13077.63 | | | | | | 15909.30 | 18654.38 | 20833.59 | 25962.65 | 32066.79 | 38175.97 |
| | | 2463 | | | | | | 2487 | 2500 | 2524 | 2562 | 2609 | 2647 |
| 5" | 3" | 24879.51 | | | | | | | 36209.96 | 39400.52 | 46799.05 | 54866.77 | 66461.74 |
| | | 9493 | | | | | | | - | - | - | - | - |
| 6" | 3 1/8" | 32714.57 | | | | | | | 45127.32 | 49798.05 | 58105.19 | 72619.15 | 80686.57 |
| | | - | | | | | | | - | - | - | - | 3006 |

For List Prices on 4 1/2" – 5 1/2" – 7" – 9" – 11" Lengths use next Longer Length Listed.

Galvanized steel conduit nipples are listed cUL_{US} and meet requirements of both CSA and UL.

Carton Quantities / Weight Per 100 Pieces

| Pipe Size | Close | 1 1/2" | 2" | 2 1/2" | 3" | 3 1/2" | 4" | 5" | 6" | 8" | 10" | 12" |
|-----------|-------|--------|----|--------|----|--------|-----|-----|-----|-----|------|------|
| 1/2" | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 50 | 50 | 50 |
| | 5 | 8 | 11 | 14 | 18 | 21 | 24 | 31 | 37 | 50 | 63 | 76 |
| 3/4" | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| | 8 | 9 | 13 | 17 | 22 | 26 | 30 | 39 | 48 | 65 | 82 | 99 |
| 1" | 25 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| | 10 | | 16 | 22 | 29 | 35 | 41 | 54 | 67 | 92 | 117 | 142 |
| 1 1/4" | 25 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 10 |
| | 17 | | 23 | 31 | 40 | 48 | 56 | 73 | 89 | 122 | 155 | 188 |
| 1 1/2" | 25 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 |
| | 25 | | 30 | 40 | 50 | 61 | 71 | 91 | 112 | 152 | 193 | 234 |
| 2" | 25 | | | 25 | 25 | 25 | 25 | 25 | 25 | 10 | 10 | 10 |
| | 41 | | | 54 | 68 | 82 | 95 | 122 | 150 | 204 | 259 | 313 |
| 2 1/2" | 10 | | | | 10 | 10 | 10 | 10 | 10 | 10 | 5 | 5 |
| | 47 | | | | 69 | 91 | 112 | 155 | 198 | 283 | 369 | 455 |
| 3" | 10 | | | | 10 | 10 | 10 | 10 | 10 | 5 | 5 | 5 |
| | 77 | | | | 99 | 127 | 155 | 211 | 267 | 379 | 492 | 604 |
| 3 1/2" | 10 | | | | | | 6 | 6 | 5 | 3 | 3 | 3 |
| | 95 | | | | | | 178 | 245 | 313 | 447 | 581 | 715 |
| 4" | 10 | | | | | | 6 | 6 | 5 | 3 | 3 | 3 |
| | 107 | | | | | | 194 | 271 | 349 | 503 | 658 | 812 |
| 5" | B | | | | | | | B | B | B | B | B |
| | 153 | | | | | | | 368 | 476 | 691 | 906 | 1121 |
| 6" | B | | | | | | | B | B | B | B | B |
| | 243 | | | | | | | 509 | 651 | 934 | 1218 | 1501 |

E.M.T. 90° & 45° Elbows – Plain Ends

| Pipe Size | 90° Price Per C | 60°, 45°, 30°, 22-1/2°, 15° Price Per C | Standard Radius To C/L | Carton Qty | | Approximate Weight | | Mfg. UPC# 782172 | |
|-----------|-----------------|---|------------------------|------------|-----|--------------------|-------------|------------------|----------|
| | | | | 90° | 45° | Per Carton | Per C - 90° | UPC# 90° | UPC# 45° |
| 1/2" | 2032.80 | 2090.89 | 4" | 50 | 50 | 14# | 28# | 2021 | 2031 |
| 3/4" | 2295.76 | 2361.36 | 4 1/2" | 50 | 50 | 22# | 44# | 2022 | 2032 |
| 1" | 3530.69 | 3631.57 | 5 3/4" | 25 | 35 | 17# | 86# | 2023 | 2033 |
| 1 1/4" | 4803.21 | 4934.23 | 7 1/4" | 20 | 30 | 29# | 143# | 2024 | 2034 |
| 1 1/2" | 5585.94 | 5738.28 | 8 1/4" | 20 | 30 | 20# | 198# | 2025 | 2035 |
| 2" | 7974.82 | 8772.31 | 9 1/2" | 10 | 15 | 31# | 305# | 2026 | 2036 |
| 2 1/2" | 16592.06 | 17066.12 | 10 1/2" | 80 | --- | 480# | 600# | 2027 | 2037 |
| 3" | 25916.41 | 26623.21 | 13" | 50 | --- | 425# | 850# | 2028 | 2038 |
| 3 1/2" | 33157.67 | 34105.04 | 15" | 50 | --- | 575# | 1150# | 2029 | 2039 |
| 4" | 40866.69 | 42092.68 | 16" | 36 | --- | 522# | 1450# | 2030 | 2040 |

* Sizes 2 1/2 and larger shipped bulk, with thread protectors. For weights of 45° Elbows, use 70% of 90° weight.

Galvanized steel EMT elbows are listed cUL_{US} and meet requirements of both CSA and UL.

*NOTE-90° PRICING VARIES FROM 60°, 45°, 30°, 22-1/2°, 15°, 11-1/4°

E.M.T. Special Large Radius Elbows 90° & 45°

Price Each/Weight

| Size | 12" Radius | 15" Radius | 18" Radius | 24" Radius | 30" Radius | 36" Radius | 42" Radius | 48" Radius |
|--------|--------------------|--------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| 1 1/4" | 305.49 | --- | 319.11 | --- | --- | --- | --- | --- |
| 1 1/2" | 384.94 4 | 305.26 4 | 394.61 4 | --- | --- | 645.89 7 | --- | 798.74 9 |
| 2" | --- | 376.98 6 | 465.33 6 | 570.45 7 | --- | 925.31 10 | --- | --- |
| 2 1/2" | --- | --- | --- | 844.20 13 | --- | 1055.47 13 | --- | --- |
| 3" | --- | --- | --- | 1006.64 13 | 1184.10 15 | 1389.69 16 | --- | 1525.39 21 |
| 3 1/2" | --- | --- | --- | --- | 1689.41 19 | 1927.73 22 | 2886.75 24 | 2886.75 28 |
| 4" | --- | --- | --- | --- | 1924.91 21 | 2011.62 24 | 2366.12 28 | 2648.64 31 |

Galvanized steel EMT elbows are listed cUL_{US} and meet requirements of both CSA and UL.

N.A.E.D. MFR. Code no. 2172

Service Meter Mast

Net Prices Each

| | |
|------------------------------------|--------|
| 1-1/4X7FT SM MAST GAL W/6" OFF TOE | 547.84 |
| 2 X 7 FT SM MAST GAL W/6" OFF TOE | 582.28 |
| 2 X 7 FT SM MAST GAL TBE | 517.79 |
| 2 X 7 FT SM MAST GAL 45 TBE | 440.31 |
| 2-1/2X 7FT SM MAST GAL TBE | 689.67 |

Sub Feed Elbows – Yard Light Elbows

| Size | Price Per C | Carton Qty | Weight per Carton | Mfg. UPC# 782172 |
|--------|-------------|------------|-------------------|---------------------|
| | | | | UPC# |
| 1/2" | 11581.22 | 25 | 145# | 40399 |
| 3/4" | 13441.05 | 25 | 197# | 40400 |
| 1" | 19322.16 | 25 | 316# | 40401 |
| 1 1/4" | 24041.65 | 10 | 495# | 40402 |
| 1 1/2" | 29418.07 | 5 | 615# | 40403 |
| 2" | 43062.02 | Bulk | 975# | 40404 |
| 2 1/2" | 56362.29 | Bulk | 1590# | 40405 |
| 3" | 98651.40 | Bulk | 2380# | 40406 |
| 3 1/2" | 173160.08 | Bulk | 3250# | 40407 |
| 4" | 219316.09 | Bulk | 4030# | 40408 |

Galvanized Conduit – Standard Radius – 90 Degree For use with P.V.C. or Steel NAED MFR. Code 2172

Conduit Running Thread Pipe

Supplied in 3 Foot Lengths—Priced Per 100 Feet

| Size | List Price Per 100ft | Pieces Per Carton | Weight Per C Pieces | Mfg. UPC# 782172 |
|--------|----------------------|-------------------|---------------------|---------------------|
| | | | | UPC# |
| 1/2" | 18827.82 | 20 | 177# | 804 |
| 3/4" | 20672.80 | 25 | 246# | 805 |
| 1" | 34889.49 | 20 | 351# | 806 |
| 1 1/4" | 39647.10 | 12 | 426# | 807 |
| 1 1/2" | 42923.12 | 10 | 513# | 808 |
| 2" | 58001.68 | 8 | 717# | 809 |
| 2 1/2" | 91150.37 | 4 | 1149# | 810 |
| 3" | 117516.00 | 3 | 1455# | 811 |
| 3 1/2" | 141014.14 | 2 | 1920# | 812 |
| 4" | 164523.55 | 2 | 2199# | 813 |

Made from Hot Dip Galvanized Conduit, Threads are electro zinc plated.

For cut to length Running Thread Nipples, Price on Application.

Aluminum 90° & 45° Elbows

| Size | Prices Per C | Standard Carton Quantity | Weight Per C | Standard Radius To C/L | Mfg. UPC# 782172 | |
|--------|--------------|--------------------------|--------------|------------------------|------------------|----------|
| | | | | | UPC# 90° | UPC# 45° |
| 1/2" | 7627.68 | 50 | 25# | 4 1/2" | 1161 | 1181 |
| 3/4" | 10362.62 | 50 | 36# | 4 1/2" | 1162 | 1182 |
| 1" | 14439.40 | 20 | 68# | 5 3/4" | 1163 | 1183 |
| 1 1/4" | 22955.05 | 20 | 104# | 7 1/4" | 1164 | 1184 |
| 1 1/2" | 30536.47 | 10 | 157# | 8 1/4" | 1165 | 1185 |
| 2" | 44948.63 | 10 | 241# | 9 1/2" | 1166 | 1186 |
| 2 1/2" | 75761.51 | 80* | 412# | 10 1/2" | 1167 | 1187 |
| 3" | 117023.52 | 50* | 637# | 13" | 1168 | 1188 |
| 3 1/2" | 182514.71 | 50* | 875# | 15" | 1169 | 1189 |
| 4" | 216409.37 | 36* | 1125# | 16" | 1170 | 1190 |
| 5" | 639880.28 | --- | 2287# | 24" | 1172 | 1192 |
| 6" | 885327.05 | --- | 4019# | 30" | 1174 | 1194 |

* Sizes 2 1/2" and Larger shipped bulk, with thread protectors, or in our special palletized super carton in quantities indicated

Also available in 11-1/4", 15", 22-1/2", 30" and 60" – Above prices plus 10%.

Aluminum elbows are listed cUL_{US} and meet requirements of both CSA and UL.

Aluminum Conduit Couplings

| Size | Prices Per C | Standard Carton Quantity | Weight Per C | Mfg. UPC #782172 |
|--------|--------------|--------------------------|--------------|------------------|
| | | | | UPC # |
| 1/2" | 2427.16 | 100 | 6# | 1131 |
| 3/4" | 3672.59 | 50 | 9# | 1132 |
| 1" | 4845.21 | 30 | 13# | 1133 |
| 1 1/4" | 5921.87 | 25 | 20# | 1134 |
| 1 1/2" | 6843.01 | 25 | 19# | 1135 |
| 2" | 9717.43 | 20 | 36# | 1136 |
| 2 1/2" | 21886.37 | 25 | 63# | 1137 |
| 3" | 28556.33 | 20 | 84# | 1138 |
| 3 1/2" | 39232.36 | 18 | 101# | 1139 |
| 4" | 47233.76 | 12 | 134# | 1140 |
| 5" | 159494.64 | --- | 247# | 1142 |
| 6" | 248942.33 | --- | 310# | 1144 |

Aluminum conduit couplings meet requirements of both CSA and UL.

Aluminum Conduit Nipples

Mfg. UPC# 782172

Price Per 100 in Carton Quantities/UPC Code

Carton quantities the same as Galvanized Conduit Nipples

| Pipe Size | Close | | 1 1/2" | 2" | 2 1/2" | 3" | 3 1/2" | 4" | 5" | 6" | 8" | 10" | 12" |
|-----------|--------|-----------|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|
| | Length | List | | | | | | | | | | | |
| 1/2" | 1 1/8" | 2940.22 | 3021.72 | 3256.67 | 3864.35 | 4063.85 | 4407.58 | 4720.56 | 5409.97 | 5708.64 | 7641.98 | 9297.17 | 10742.01 |
| | | 41113 | 41114 | 41115 | 41116 | 41117 | 41118 | 41119 | 41121 | 41123 | 41124 | 41125 | 41126 |
| 3/4" | 1 3/8" | 3952.16 | 4128.03 | 4292.23 | 4550.15 | 4925.59 | 5112.43 | 5395.68 | 6454.17 | 7325.63 | 9644.11 | 11288.69 | 13854.82 |
| | | 41127 | 41128 | 41129 | 41130 | 41131 | 41132 | 41133 | 41135 | 41137 | 41138 | 41139 | 41140 |
| 1" | 1 1/2" | 4847.38 | | 5369.29 | 5868.82 | 6319.96 | 7180.36 | 7805.22 | 9225.89 | 10893.94 | 13527.22 | 17014.97 | 20144.06 |
| | | 41141 | | 41142 | 41143 | 41144 | 41145 | 41146 | 41148 | 41150 | 41151 | 41152 | 41153 |
| 1 1/4" | 1 5/8" | 6492.67 | | 6642.94 | 7296.64 | 8267.52 | 9411.35 | 10333.53 | 12166.62 | 14102.08 | 17959.71 | 21895.02 | 25677.99 |
| | | 41154 | | 41155 | 41156 | 41157 | 41158 | 41159 | 41161 | 41163 | 41164 | 41165 | 41166 |
| 1 1/2" | 1 3/4" | 8074.95 | | 8325.78 | 8852.41 | 10060.99 | 12630.35 | 12693.78 | 14562.15 | 16804.10 | 21619.48 | 26360.13 | 30878.42 |
| | | 41167 | | 41168 | 41169 | 41170 | 41171 | 41172 | 41174 | 41176 | 41177 | 41178 | 41179 |
| 2" | 2" | 10374.47 | | | 11117.66 | 12436.30 | 14345.32 | 15283.23 | 18265.90 | 21074.91 | 26925.27 | 32796.76 | 38740.24 |
| | | 41180 | | | 41181 | 41182 | 41183 | 41184 | 41186 | 41188 | 41189 | 41190 | 41191 |
| 2 1/2" | 2 1/2" | 21945.69 | | | | 22538.65 | 25014.77 | 26504.46 | 29900.42 | 32816.95 | 41504.96 | 50229.59 | 58369.63 |
| | | 41192 | | | | 41193 | 41194 | 41195 | 41196 | 41197 | 41198 | 41199 | 41200 |
| 3" | 2 5/8" | 23898.73 | | | | 31823.70 | 31823.70 | 31823.70 | 36356.51 | 41720.77 | 53105.90 | 64681.94 | 75908.82 |
| | | 41201 | | | | 41202 | 41203 | 41204 | 41205 | 41206 | 41207 | 41208 | 41209 |
| 3 1/2" | 2 3/4" | 29103.54 | | | | | | 39090.55 | 44170.47 | 50936.27 | 63412.26 | 78355.44 | 91490.28 |
| | | 41210 | | | | | | 41211 | 41212 | 41213 | 41214 | 41215 | 41216 |
| 4" | 2 7/8" | 36349.48 | | | | | | 45565.47 | 60639.61 | 60639.61 | 77008.49 | 93549.32 | 109703.51 |
| | | 41217 | | | | | | 41218 | 41219 | 41220 | 41222 | 41223 | 41224 |
| 5" | 3" | 84925.25 | | | | | | | 99509.32 | 104382.15 | 133065.74 | 159800.24 | 183711.96 |
| | | 41225 | | | | | | | 41226 | 41227 | 41228 | 41229 | 41230 |
| 6" | 3 1/8" | 102486.85 | | | | | | | 129656.27 | 139598.20 | 177974.07 | 199746.34 | 235461.51 |
| | | 41231 | | | | | | | 41232 | 41233 | 41234 | 41235 | 41236 |

Aluminum conduit nipples are listed cUL_{US} and meet requirements of both CSA and UL.

Aluminum Special Large Radius Elbows 90° & 45°

Special Large Radius Elbows – 90° – 60° – 45° - 30° Price Each

| Size | 12" Radius | 15" Radius | 18" Radius | 24" Radius | 30" Radius | 36" Radius | 42" Radius | 48" Radius |
|--------|------------|------------|------------|------------|------------|------------|------------|------------|
| 1" | 569.69 | 663.15 | 826.57 | 993.91 | 1101.65 | 1308.60 | 1649.61 | 1690.49 |
| 1 1/4" | 656.56 | 786.41 | 979.99 | 1174.51 | 1335.05 | 1598.52 | 1744.20 | 1996.24 |
| 1 1/2" | 844.20 | 972.36 | 1194.30 | 1404.75 | 1631.23 | 1909.95 | 2204.48 | 2409.72 |
| 2" | 1039.99 | 1237.45 | 1472.32 | 1813.94 | 2090.86 | 2436.42 | 2705.26 | 3070.91 |
| 2 1/2" | 1288.10 | 1655.26 | 1629.72 | 2415.11 | 2803.06 | 3286.87 | 3631.30 | 4133.76 |
| 3" | | 2205.62 | 2538.48 | 3204.86 | 3721.30 | 4377.54 | 4797.56 | 5472.16 |
| 3 1/2" | | | 3762.52 | 4433.98 | 5299.85 | 5953.80 | 6836.57 | 6884.48 |
| 4" | | | 4196.43 | 4957.48 | 5709.56 | 6655.39 | 8141.55 | 9223.53 |
| 5" | | | | | 9694.58 | 11364.90 | 12660.40 | 14318.34 |
| 6" | | | | | | 12179.76 | 13509.02 | 15365.59 |

JPC Code Mfg. UPC# 782172

| Size | 12" Radius | 15" Radius | 18" Radius | 24" Radius | 30" Radius | 36" Radius | 42" Radius | 48" Radius |
|--------|------------|------------|------------|------------|------------|------------|------------|------------|
| 1" | 40433 | 40434 | 40435 | 40436 | 40437 | 40438 | 40439 | 40440 |
| 1 1/4" | 40441 | 40442 | 40443 | 40444 | 40445 | 40446 | 40447 | 40448 |
| 1 1/2" | 40449 | 40450 | 40451 | 40452 | 40453 | 40454 | 40455 | 40456 |
| 2" | 40457 | 40458 | 40459 | 40460 | 40461 | 40462 | 40463 | 40464 |
| 2 1/2" | 40465 | 40466 | 40467 | 40468 | 40469 | 40470 | 40471 | 40472 |
| 3" | | 40473 | 40474 | 40475 | 40476 | 40477 | 40478 | 40479 |
| 3 1/2" | | STD | 40480 | 40481 | 40482 | 40483 | 40484 | 40485 |
| 4" | | | 40486 | 40487 | 40488 | 40489 | 40490 | 40491 |
| 5" | | | | | 40492 | 40493 | 40494 | 40495 |
| 6" | | | | | | 40496 | 40497 | 40498 |

Aluminum elbows are listed cUL_{US} and meet requirements of both CSA and UL.

Warranty

ALL CONDUIT PIPE PRODUCTS ARE WARRANTED TO BE FREE FROM MANUFACTURING DEFECTS AND ANY FOUND TO BE DEFECTIVE WILL BE REPLACED WITHOUT CHARGE PROVIDED (1) THE PRODUCT WAS USED AS RECOMMENDED AND IN ACCORDANCE WITH APPROVED INSTALLATION AND OPERATING PRACTICES; (2) THAT ITS FAILURE RESULTED FROM A MANUFACTURING DEFECT AND NOT FROM DAMAGE DUE TO CORROSIVE, ABRASIVE, OR OTHER WEAR NORMALLY EXPECTED IN THE SERVICES INVOLVED. NO LABOR COST OR OTHER EXPENSE WILL BE ASSUMED.

The Phoenix Forge Group

Terms and Conditions

Freight Terms: All shipments are F.O.B. Shipping Point. Our responsibility ceases after we make delivery to the carrier. Claims for damages, loss, or delay in transit should be made to the carrier. Full freight at the lowest published rate will be allowed on a single order to a single location in the Continental United States.

Freight allowance: Shipments F.O.B. Shipping Point. Full freight allowed on shipments of \$1,750.00 net or more of Conduit Pipe Products Company products within the USA. Full freight allowed on shipments of \$1,750.00 net or more of Conduit Pipe Product Company products within the USA from regional warehouses. (Alaska and Hawaii excepted).
ALL SHIPMENTS SUBJECT TO PRICE IN EFFECT AT TIME OF SHIPMENT.

UPS Shipments \$7.00 Handling Charge.
 Terms: 2% 10 days, net 30 days. Minimum Invoice Value: \$100.00 .
 Restocking & Handling Charge: See Returned Parts Policy.
ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

Phoenix

“Phoenix” as used throughout these terms and conditions means Conduit Pipe Products Company, LLC.
 Phoenix Terms & Conditions of Sale as outlined on acknowledgements and bid proposals govern all material transactions.

Returned Parts

Phoenix reserves the right to decline the return of material. We must issue a written return goods authorization and instructions (RGA) prior to the return of any material. A handling and restocking charge of 25% will be applicable to any authorized returned material. Authorization for the return of material more than 60 days old must be reviewed on an individual basis. Terms and conditions for the return of authorized material will be issued at the time of approval.

Nonconforming Parts

Phoenix reserves the right to replace, repair, or authorize the return of any material not in accordance with agreed upon and published manufacturing practices. Phoenix will only be responsible to the value of the nonconforming material.

Entire Agreement

This Contract contains the entire agreement between the parties and supercedes all prior agreements and representations, written and oral. Phoenix’s acceptance of, or acquiescence in, a course of performance by Buyer shall not be relevant or admissible to determine the meaning of this Contract, even if Phoenix had knowledge of the nature of the performance and an opportunity to make objection. No changes, additions, or deletions shall incorporate the Terms and Conditions listed herein. Phoenix shall not be bound by any additional provisions or provisions at variance herewith that may appear in Buyer’s purchase order(s) or acknowledgement(s) unless such provision is expressly agreed to in writing by Phoenix.

Limited Warranty

Phoenix warrants materials sold to be free from defects in workmanship for a period of one (1) year from the date of sale. Phoenix will, at its option, repair or replace any defective materials if reported in writing to Phoenix so that such writing is received within one (1) year after the date of sale. Such limited warranty shall be Phoenix’s only obligation with respect to the materials sold hereunder. Phoenix specifically disclaims and buyer specifically waives any other express implied warranties, including any warranty of merchantability, warranty of fitness for a particular purpose, or warranties against latent defects or redhibitory vices. Buyer agrees that Phoenix is not liable for any claims, demands, or other liabilities whatsoever arising out of this Contract, including claims related to the sale, resale, timeliness of delivery, the delivery itself, or the assembly of materials, whether any of the foregoing are based in contract, tort, (including negligence or strict liability) or otherwise, and Buyer agrees to defend and hold Phoenix harmless from any such claims, demands, or liabilities. Buyer specifically waives any remedy or right of revocation of acceptance, rescission, or redhibition. Buyer specifically waives any right to recover any special, indirect, incidental, or consequential damages, lost profits, or damages from loss of use in connection with this sale. The foregoing waivers and disclaimers shall be considered a material and integral part of any sale between the parties.

Freight, Sales Taxes

Unless specifically set forth herein, the price for the goods does not include freight or delivery, neither does it include any sales taxes. Buyer agrees to remain responsible for any sales taxes which are not collected by Phoenix at the time of sale.

Payment

If Phoenix extends credit to Buyer, payment shall be due thirty days after the invoice date. Buyer agrees that all past due sums shall accrue interest at eighteen percent per annum. Should Phoenix institute legal action to collect any sums due to Phoenix, Buyer agrees to pay all costs of collection including attorney’s fees of at least ten percent of the amount due.

Severability

Should any provision of the Contract be enforceable or ruled invalid under the law, the remainder of this Contract shall nonetheless remain valid.